

References:

- (1) "Tick-borne Diseases of the United States: A reference manual for healthcare providers."  
<https://www.cdc.gov/lyme/resources/tickbornediseases.pdf>
- (2) Diagnosis and management of Tick-borne Rickettsial Diseases: Rocky Mountain Spotted Fever and Other Spotted Fever Group Rickettsioses, Ehrlichioses and Anaplasmosis – United States, A Practical Guide for Health Care and Public Health Professionals"  
[mmwr/volumes/65/rr/rr6502a1.htm?s\\_cid=rr6502a1 w](http://mmwr.volumes/65/rr/rr6502a1.htm?s_cid=rr6502a1_w)
- (3) Lyme Disease – Health Care Providers:  
<https://www.cdc.gov/lyme/healthcare/index.html>
- (4) Rocky mountain Spotted fever (RMSF) – Health Care Providers:  
<https://www.cdc.gov/rmsf/healthcare-providers/index.html>
- (5) Indiana Communicable Disease Rule:  
[http://www.in.gov/isdh/files/Final Rule LSA . pdf](http://www.in.gov/isdh/files/Final_Rule_LSA_.pdf)
- (6) Persistent Borrelia Infection in Patients with Ongoing Symptoms of Lyme Disease. Healthcare (Basel) 2018 Apr 14; 6(2) pii E33. Middelveen MJ, Sapi E, Burke J, Filush KR, Franco A, Fesler MC, Stricker RB
- (7) Neuroborreliosis: Lancet Neurol 2008 Aug; 7(8):690-5
- (8) Treatment Erythema migrans. Ann Intern Med 2003 May 6; 138(9):697-704.)
- (9) Persistent symptoms (musculoskeletal pain, neurocognitive symptoms, dyesthesia, fatigue) despite previous treatment for Lyme disease: (NEJM 2001 Jul 12; 345(2):85-92.)
- (10) Neurocognitive dysfunction in Lyme disease. Neurology. 2008 Mar 25;70(13):992-1003. Epub 2007 Oct 10.

(11) Antibiotics for the neurologic complications of Lyme disease. Cochrane database Syst rev. 2016 Dec 8; 12: Cdavid D et al.

(12) Mosquito Borne Diseases.

<https://www.cdc.gov/niosh/topics/outdoor/mosquito-borne/default.html>

(13) The American Mosquito Control Association. Mosquito Borne Diseases. <https://www.mosquito.org/page/diseases>